Green Roof Growing Medium - Biodiverse

Data Sheet

ABG Green Roof Biodiverse Growing Medium is a carefully selected mix of responsibly sourced recycled materials, free from phytotoxic contaminants.
The major application is to provide ideal conditions for colonisation by neighbouring plants and animals as part of a green roof system.

Typical Biodiverse Growing Medium.

Growing Medium Properties			
Composition		Recycled crushed 14-5mm brick. Lightweight clay aggregate. Fine grade 10mm pine bark (PAS 100 certified).	
Loose Bulk Density (Dry)	(kg/m³)	850 - 900	nominal
Loose Bulk Density (Saturated)	(kg/m³)	1060 - 1125	nominal
Particle Size < 0.063mm	(%)	< 15	By Mass
Particle Size 2-20mm	(%)	30 - 60	By Mass
Salt Content	(g/l)	< 2.5	
pH Value		7 - 8	
Organic Content	(%)	< 20	By Blended Volume

1 The values given are determined from statistical Interpretation of test results obtained in our laboratories and are subject to tolerances. In line with our policy of continuous improvement the right is reserved to make changes without notice at any time.
2 Final determination of the suitability of any information is the sole responsibility of the user. ABG will be pleased to discuss the use of this or any other product but responsibility for selection of a material and its application in any specific project remains with the user.

ABG LTD
E7 Meltham Mills Road, Meltham, Holmfirth, HD9 4DS • +44(0)1484 852096 • www.abgltd.com
a member of BontexGeo Group